



## Lectrum® Range



**“All Great Leaders Stand  
Behind a Lectrum”**

# Lectrum® Aero Series

Winner of the Australian Design Award and Prince Phillip Award for Communication. The lectern of choice for leading hotels, conference centres and corporations. Aero is the culmination of customer feedback and product refinement over many years.

- \* Sleek, dynamic design with aerofoil shaped legs and gently curved dress panel.
- \* Intergrated document shield with logo space at the top where it appears in any media coverage.
- \* Use of permanent or temporary logos.
- \* Concealed cable management system with cables concealed inside the leg and terminated at a convenient connection on lower cross bar.
- \* Dual microphone inputs.
- \* Halogen gooseneck reading light.
- \* Light to gently illuminate dress panel.
- \* LCD Programmable clock with count-down timer (Model L2001C only)
- \* Choice of frame colours and fabric dress panel colours.



Model	Details	Code
L2001	with dual microphone inputs and reading light XtShield finish	7L2001 STD
L2001	Hi Gloss, dual layer, finish	7L2001 PRE
L2001C	with programmable clock, dual microphone inputs and reading light XtShield finish	7L2001C STD
L2001C	Hi Gloss, dual layer, finish	7L2001C PRE



Quality  
ISO 9001  
SAI GLOBAL

# Lectrum® Classic Series

The established industry standard lectern with a timeless, elegant design. Winner of two major design awards.

- \* Quick and easy to assemble and disassemble for ease of transport.
- \* Choice of finishes and dress panel fabric colour.

Model	Details	Code
L20	No electronics, XtShield finish	7L20 STD
L20	Hi Gloss, dual layer, finish	7L20 PRE
L20S	with reading light and dual microphone inputs, XtShield finish	7L20S STD
L20S	Hi Gloss, dual layer, finish	7L20S PRE
L101	with reading light, dual microphone inputs and programmable clock, XtShield finish	7L101 STD
L101	Hi Gloss, dual layer, finish	7L101 PRE



### L900 - Lectrum Classic Wide

954mm wide version of Lectrum Classic. Ideal for two person presentations or where additional equipment, such as touch screen or preview monitor, is required.

Model	Details	Code
L900	XtShield finish	7L900 STD
L900	Hi Gloss, dual layer, finish	7L900 PRE

- \* Optional cutout for touch screen
- \* Slide out Notebook Shelf
- \* Note!! Special freight rates apply.

New XTShield  
High Durability  
Increased toughness  
Damage Resistant



Quality  
ISO 9001  
SAI GLOBAL

## Lectrum<sup>®</sup> CTL Model

Controlling everything from lights to sound is convenient and easy with Lectrum<sup>®</sup> CTL fitted with touch screen control. It makes for smooth, seamless presentations with the presenter in complete control of all functions at the touch of a button.

Timeless, elegant styling combined with state-of-the-art control makes Lectrum<sup>®</sup> CTL the ideal choice for today's training rooms, conference facilities and board rooms.

Lectrum<sup>®</sup> CTL models are available for use with AMX<sup>®</sup> and Creston<sup>®</sup>

Standard features include:

- \* Housing or cut out for touch screen.
- \* Dual microphone inputs.
- \* Reading light.

Model	Code
CTL Model	7CTL CUS



Quality  
ISO 9001

SAI GLOBAL

# Lectrum<sup>®</sup> Presenter's Workstation

Designed for training rooms and lecture theatres where a larger, workstation style lectern is required.

A touch screen or preview monitor can be built-in to the top work surface and still allow room for the presenter's papers. Presentation equipment can be housed in the cupboard.

L1500 can be configured for your application with a range of options.

Standard features include:

- \* Dual microphone inputs.
- \* Reading light and plug pack kit.
- \* Large, heavy duty lockable castors.
- \* Two internal, adjustable height shelves.
- \* Two lockable doors.



Standard finish - Deep Satin Black aluminium frame with Black Melamine infill panels.

Model	Detail	Code
L1500	Presenter's Workstation	7L1500

- \* Optional cutout for touch screen
- \* Slide out Notebook Shelf
- \* Slide out Keyboard Shelf
- \* Note! Special freight rates apply.



## Lectrum<sup>®</sup> Accessories

Model	Detail	Code
All Models	Gooseneck with spring clamp for HH Wireless Microphone	7GOOSEC
	Condenser Gooseneck Microphone - Requires Phantom Power	7MICCOND
	Microphone Shock Mount - Factory Installed	7SHOCK
	Logo for Dress Panel	7LOGO
Classic Series only	Phantom Power Supply	7PPS
	Prop Shelf - Standard Finish	7PROPSHSTD
	Heavy Duty Carry Bags (Set of 2)	7CBAG
	Lockable Castors (Set of 4)	7CASTOR
	Document Shield/Logo Bar	7SHIELDSTD
	Notebook Shelf	7PCSHCL
	Padded Protective Slip Over Cover	7CVRCLASS
Aero Series only	Crystal-lite Logo	7CLLOGO
	Notebook Shelf	7PCSHL2001
	Logo Insert for Aero - top	7LOGO
Spare Parts	Padded Protective Slip Over Cover	7CVR2001
	Replacement Dress Panel	
	Reading Light 12" BNC - Classic	
	Replacement Spare Globe 12V 5watt	7LAMP
	Universal Power Supply - L101 & L2001	7PS201
	Mains Lead for Univ. Power Supply	7LEAD
	Thumb Screw to attach Top - Classic	
Thumb Screw to attach Feet - Classic		
Levelling Guides for Feet (specify model)		



(above) Crystal-lite logo shown on Classic Series Lectern



Quality  
ISO 9001  
SAI GLOBAL

## UTS Lectern

Take your presentations to a new level with Gilkon's new UTS Lecture Centre.

- \* Height adjustable from approximately 660 – 1120 mm for normal use (service extension height 1290mm)
- \* Height control integrated into front edge of table top;
- \* High level of accessibility for wheelchairs;
- \* Integrated equipment basket with fold-down rack frame for ease of installation and maintenance;
- \* Two Industry standard 4RU rack mounting strips on swing frame and two 1RU static mounting strips
- \* Counterbalance gas spring for ease of operation of loaded swing rack
- \* Cable management spine and distribution path to capped floor portals to enable connection to room cabling sockets (5 exit options);
- \* Integrated 8 way power rail with current limited soft wiring connector for user accessible power socket on table top. Optional second power rail for a total of 16 outlets.
- \* Integrated monitor arm support system on both sides of the table
- \* Accommodates a variety of table top designs and finishes; minimum table top is 1410mm x 450mm, recommended 1500mm x 750mm x 34mm
- \* Strong stable steel frame with slotted feet for securing to floor;
- \* Dual lock for security of installed equipment and ease of access during maintenance.
- \* Large area of ventilation for internal equipment provided by a stylish perforated folded-metal enclosure providing both cooling and security for AV/IT equipment.
- \* Customisable modular brushed aluminium or powder-coated insert to support user accessible equipment: e.g. Gooseneck microphone, Cable caddy, power outlets, phone, touchscreen;
- \* External mounting plates for radio microphone antenna;
- \* Mounting options for external DVD/Blu-ray players/recorders;
- \* Accessory trays for efficient mounting of low voltage power supplies
- \* Serial number for asset management Please note monitor, projector and other accessories pictured are not included.

Model	Code
UTS Lectern	9UTS-901967-Fixed



Quality  
ISO 9001

SAI GLOBAL